L Number	Hits	Search Text	DB	Time stamp
1	2876731	@ad<19990625	USPAT;	2004/03/10 11:16
-			US-PGPUB;	=====================================
			IBM TDB	
2	8	@ad<19990625 and (delete remove purge)	USPAT;	2004/03/10 10:51
		with (encryption crypto\$8 cipher) with	US-PGPUB;	
		module	IBM TDB	
3	1	5,991,399.pn.	USPAT;	2004/03/10 10:51
			US-PGPUB;	-
			IBM_TDB	
4	1	6,310,661.pn.	USPAT;	2004/03/10 10:52
			US-PGPUB;	
-			IBM_TDB	
5	88	shambroom	USPAT;	2004/03/10 10:52
			US-PGPUB; IBM TDB	
6	19	shambroom.inv.	USPAT;	2004/03/10 10:53
"	1 9	STANDIOON, IIIV.	US-PGPUB;	2004/03/10 10:33
			IBM TDB	
7	1	6,687,375.pn.	USPAT;	2004/03/10 11:04
`	_	3,00,,000	US-PGPUB;	2001, 00, 10 11.01
			IBM TDB	
8	9859	liu.inv.	USPAT;	2004/03/10 11:04
		·	US-PGPUB;	
			IBM_TDB	
9	108	liu.inv. and encrypt\$6	USPĀT;	2004/03/10 11:04
]			US-PGPUB;	
1			IBM_TDB	
10	32	(liu.inv. and encrypt\$6) and random	USPAT;	2004/03/10 11:15
			US-PGPUB;	
1,,	2100	0-4/1000005	IBM_TDB	0004/00/10 11 15
12	2100	@ad<19990625 and 713/193,200,201,167.ccls.	USPAT; US-PGPUB;	2004/03/10 11:15
		/13/193,200,201,107.CC18.	IBM TDB	
13	753	(@ad<19990625 and	USPAT;	2004/03/10 11:15
13	, 55	713/193,200,201,167.ccls.) and data with	US-PGPUB;	2004/03/10 11.15
		protect\$5	IBM TDB	
14	402	((@ad<19990625 and	USPAT;	2004/03/10 11:15
		713/193,200,201,167.ccls.) and data with	US-PGPUB;	
		protect\$5) and data with key	IBM TDB	
15	46		USPĀT;	2004/03/10 11:16
		713/193,200,201,167.ccls.) and data with	US-PGPUB;	
		protect\$5) and data with key) and user	IBM_TDB	
		same lock		
16	27	,	USPAT;	2004/03/10 11:16
		with protect\$5	US-PGPUB;	
17	40	 @ad<19990625 and 380/278.ccls. and data	IBM_TDB	2004/03/10 11.16
* '	40	with protect\$5	USPAT; US-PGPUB;	2004/03/10 11:16
		"ICM Proceeds	IBM TDB	
-	0	@ad<19990625 and compile with program with	USPAT;	2004/03/10 10:44
		key with embedded	US-PGPUB;	
		-	IBM_TDB	
-	0	@ad<19990625 and compile with program same	USPĀT;	2004/03/05 13:23
		key with embedded	US-PGPUB;	
			IBM_TDB	
-	2		USPAT;	2004/03/08 14:30
		application applet code) same key with	US-PGPUB;	
	E 2	embedded	IBM_TDB	2004/02/02 14 20
-	53	<pre>@ad<19990625 and (compil\$4 generat\$5) with (program application applet code) same key</pre>	USPAT; US-PGPUB;	2004/03/08 14:30
j		with embedded	IBM TDB	
! _	2	@ad<19990625 and compil\$4 same (program	USPAT;	2004/03/09 12:32
	_	application applet code) same key with	US-PGPUB;	2004/03/09 12.32
		embedded	IBM TDB	
-	6	@ad<19990625 and random.ti. and key.ti.	USPAT;	2004/03/09 13:34
			US-PGPUB;	
			IBM_TDB	
[-	4640	@ad<19990625 and random with key	USPĀT;	2004/03/09 16:13
			US-PGPUB;	
<u> </u>			IBM_TDB	

-	2290	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/03/09 13:35
		generator	US-PGPUB; IBM TDB	
_	1107	@ad<19940625 and random with key and	USPAT;	2004/03/09 13:35
_	1107	generator	US-PGPUB;	2004/03/09 13:33
		generator	IBM TDB	
_	675	@ad<19880625 and random with key and	USPAT;	2004/03/09 13:35
		generator	US-PGPUB;	2001,03,03 13.33
		30.022002	IBM TDB	
_	1107	@ad<19940625 and random with key and	USPAT;	2004/03/09 13:49
		generator	US-PGPUB;	
			IBM TDB	
-	4837	"17" and content with protection	USPAT;	2004/03/09 13:35
			US-PGPUB;	
			IBM_TDB	
-	6	(@ad<19940625 and random with key and	USPAT;	2004/03/09 13:35
		generator) and content with protection	US-PGPUB;	
	_	0.1410040605	IBM_TDB	0004/00/00 10 10
-	0	@ad<19940625 and random with key and	USPAT;	2004/03/09 13:49
		content adj protection	US-PGPUB;	
	4.7	0.d<1004062E and mandam	IBM_TDB	2004/03/09 13:57
_	47	@ad<19940625 and random with key and	USPAT; US-PGPUB;	2004/03/09 13:57
		content with protect\$7	IBM TDB	
_	275	@ad<19940625 and random with key and	USPAT;	2004/03/09 13:58
	275	secure with data	US-PGPUB;	2004/03/03 13.30
		Secure with duta	IBM TDB	
_	50	@ad<19940625 and random adj key and secure	USPAT;	2004/03/09 13:58
		with data	US-PGPUB;	
			IBM TDB	
_	10	@ad<19990625 and regenerate with key same	USPAT;	2004/03/09 15:16
		change\$2	US-PGPUB;	
			IBM_TDB	
_	14	@ad<19990625 and regenerate with key and	USPAT;	2004/03/09 15:51
		hash same change\$2	US-PGPUB;	
	1.4	About the second second	IBM_TDB	2004/02/00 15.51
_	14	thomlinson.inv. and key	USPAT;	2004/03/09 15:51
			US-PGPUB; IBM TDB	
_	1291	@ad<19990625 and header with key	USPAT;	2004/03/09 16:13
	12,1	caa(1)))0020 and nodder with key	US-PGPUB;	
			IBM TDB	
-	259	@ad<19990625 and header with key same file	USPAT;	2004/03/09 16:14
			US-PGPUB;	
			IBM_TDB	
_	119	(@ad<19990625 and header with key same	USPAT;	2004/03/09 16:14
		file) and encrypted	US-PGPUB;	
	1		IBM_TDB	
_	16	((@ad<19990625 and header with key same	USPAT;	2004/03/09 16:35
		file) and encrypted) and random adj key	US-PGPUB;	
		4045775	IBM_TDB	2004/02/00 16:25
_	1	4945775.pn.	USPAT;	2004/03/09 16:35
			US-PGPUB; IBM TDB	
_	2876731	@ad<19990625	USPAT;	2004/03/10 09:38
_	20/0/31	eau\19990023	US-PGPUB;	2004/03/10 03:30
			IBM TDB	
	I	<u> </u>	1 2011 100	L